

GCL Series

Lighting for Garage & Canopy Locations



GCL13R0 Series

DURABLE, RELIABLE & EFFICIENT

This garage luminaire stands out for its exceptional durability, innovative features, and focus on user safety. Designed to meet the demands of commercial settings as well as harsh and abusive environments including garages—it combines modern aesthetics with practical functionality making installation straightforward and efficient for a wide range of applications.



Low-Profile Design

Garage & Canopy Luminaires for harsh and abusive atmospheres



High Impact and Lasting Durability



Wet Location Listed



DesignLights Consortium Certified




ETL Safety Standards Certified

- Uplight option for visual appeal
- 3.78" Low-Profile
- IK10 Impact Rating
- 3G Vibration Test Rating
- IP65 Ingress Protection
- CCT and Wattage selectable
- 0-10V, 1% Dimming
- Optional Motion Sensor
- 5-Year Limited Warranty (10-Year Optional)



13" Round, Low-Profile



Uplight Provides 10% of the Total Light Output

ENHANCED SECURITY

- Low-Profile, marine-grade, low-copper, high-pressure die-cast aluminum housing
- Designed and tested to withstand substantial impact and vibration without compromising function or finish
- Designed for standard downlighting or both up and downlighting, selectable via an integral switch
- High lumen output up to 145 lmW and a 150° wide beam spread
- 4-Power Selectable Wattages—30W, 50W, 75W, or 100W
- 3-Color Selectable CCTs—3000K, 4000K, or 5000K
- Ceiling and Wall mount—Compatible with 4" square or octagon junction box

Optional Motion Sensor

Seamless Integration with Advanced Control Systems

- Slim Low-Profile Design
- Dims light from high to low
- Microwave Sensing Technology
- Enable Motion Sensor with the handheld Wireless IR Remote Control
- Designed for GCL13RO Luminaire



Motion Sensor (MS) & Remote Control

Scan QR Code
for GCL13RO
product details.



PARAMOUNT
INDUSTRIAL LIGHTING

Look to Paramount for Garage & Canopy Lighting Solutions



PARAMOUNT
INDUSTRIAL LIGHTING 