### GCL13RO, Garage & Canopy Lite Series — INSTALLATION INSTRUCTIONS

CAUTION: BEFORE CONNECTING THE LUMINAIRE TO A POWER SUPPLY, MAKE SURE THE POWER IS SWITCHED OFF.





www.paramountlighting.com 3609 Swenson Ave. St. Charles, IL 60174

## **Adjusting CCT and Wattage**

#### **GENERAL:**

- 1. Before starting the installation, make sure all electricity has been turned off and electrical breaker has been locked out and tagged out.
- 2. To ensure the success of the installation, be sure to read these instructions and review the diagrams thoroughly before beginning.
- 3. All electrical connections must be in accordance with local codes, ordinances, or the National Electrical Code.
- 4. These luminaires are intended to be mounted to a J-Box directly supported by the building structure.
- 5. All luminaires to be installed by a qualified electrician.


**NOTE:** The important safeguards and instructions appearing in this manual are not meant to cover all possible conditions and situations that may occur.

#### INSTALLATION:


- 1. Place the fitting face up (Figure 1).
- 2. Using a screwdriver remove the switch box screws then remove the switch box cover (Figure 2).
- 3. Remove the cap then turn off the up lighting (Figure 3).

**IMPORTANT:** Do not disassemble, modify, or drop the LED canopy light.

# **DETAILED ILLUSTRATION**



## **Optional Motion Sensor**



GCL13R0ii JC-TD-111225

## GCL13RO, Garage & Canopy Lite Series — INSTALLATION INSTRUCTIONS

CAUTION: BEFORE CONNECTING THE LUMINAIRE TO A POWER SUPPLY, MAKE SURE THE POWER IS SWITCHED OFF.



**DETAILED ILLUSTRATION** 



if Using a Non-Dim Driver

www.paramountlighting.com 3609 Swenson Ave. St. Charles, IL 60174

## **Ceiling Installation**

#### **GENERAL:**

- Before starting the installation, make sure all electricity has been turned off and electrical breaker has been locked out and tagged out.
- 2. To ensure the success of the installation, be sure to read these instructions and review the diagrams thoroughly before beginning.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electrical Code.
- These luminaires are intended to be mounted to a J-Box directly supported by the building structure.
- 5. All luminaires to be installed by a qualified electrician.

**NOTE:** The important safeguards and instructions appearing in this manual are not meant to cover all possible conditions and situations that may occur.

#### INSTALLATION:


- Loosen the mounting plate screw and remove the mounting plate from the luminaire (Figure 1).
- 2. Tighten the screws to attach the mounting plate to the junction box (**Figure 2**).
- Hang the luminaire on the ring to connect the wires using terminal caps (Figure 3).

NOTE: Make sure the luminaire is grounded.

- 4. Attach the luminaire to the mounting plate (Figure 4).
- 5. Tighten the mounting plate screw (Figure 5).

IMPORTANT: Do not disassemble, modify, or drop the LED canopy light.

## Figure 1 Figure 2 Figure 3 Ring Remove Mounting Plate Junction Box GREEN (Ground) WHITE (Neutral) BLACK (Line) PINK (DIM-PURPLE (DIM+) Mounting Plate Loosen Fasten Screws (4X) Wiring Connections Screw Connection Can be Omitted



GCL13R0ii JC-TD-111225

Attach Luminaire Lamp to Mounting Plate

## GCL13RO, Garage & Canopy Lite Series — INSTALLATION INSTRUCTIONS

CAUTION: BEFORE CONNECTING THE LUMINAIRE TO A POWER SUPPLY, MAKE SURE THE POWER IS SWITCHED OFF.





www.paramountlighting.com 3609 Swenson Ave. St. Charles, IL 60174

#### DETAILED ILLUSTRATION

## **Pole-Pendant Installation**

#### **GENERAL:**

- Before starting the installation, make sure all electricity has been turned off and electrical breaker has been locked out and tagged out.
- 2. To ensure the success of the installation, be sure to read these instructions and review the diagrams thoroughly before beginning.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electrical Code.
- These luminaires are intended to be mounted to a J-Box directly supported by the building structure.
- 5. All luminaires to be installed by a qualified electrician.


**NOTE:** The important safeguards and instructions appearing in this manual are not meant to cover all possible conditions and situations that may occur.

#### INSTALLATION:

1. Wire In-Line Wire Splices in tandem so it can feed thru pipe (Figure 1).

**NOTE:** Make sure the luminaire is grounded.

- Apply Threadlocker (Supplied by Others) to rigid conduit threads prior to tightening.
- 3. Securely tighten rigid conduit until pipe bottoms out and torque MAX 50 IN-LBS prior to locking with set screw.
- Use a 2MM Hex tool to tighten set screw to 20 IN-LBS to prevent rotation (Figure 2).



GCL13R0ii JC-TD-111225